

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	348120	((positionable or position or positioning or positioned or limit or stop or way) with (first or second or third or intermediate or default or between or plural or plurality or multi or two or three)) same (spring)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	221520	(reverse or reversible or reversing or reversing or reverses or reversable) with (drive or motor or motive or force or shaft or actuator or actuation or control)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	IS&R	L3	308	(251/129.12).CCLS.	USPAT
4	IS&R	L4	326	(251/129.12).CCLS.	USPAT; EPO; JPO; DERWEN T; IBM_TD B
5	BRS	L5	38	1 and 2 and 4	USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	IS&R	L6	137	(251/69).CCLS.	USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
1	2005/03/03 14:08			
2	2005/03/03 14:09			
3	2005/03/03 12:04			
4	2005/03/03 13:33			
5	2005/03/03 13:39			
6	2005/03/03 13:40			

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	122199	((((throttle or butterfly or ball) near2 (valve)) or ((rotate or rotating or rotated or rotary or rotation or rotational or rotationary) with (valve or actuate or actuator or actuated or actuating or actuation or drive or control))) same (spring)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L8	15	6 and 2 and 7	USPAT; EPO; JPO; DERWEN T; IBM_TD B
9	BRS	L9	13	8 not 5	USPAT; EPO; JPO; DERWEN T; IBM_TD B
10	IS&R	L10	655	((251/286) or (251/288)).CCLS.	USPAT; EPO; JPO; DERWEN T; IBM_TD B
11	BRS	L11	128236	((((throttle or butterfly or ball) near2 (valve)) or ((rotate or rotating or rotated or rotary or rotation or rotational or rotationary) with (valve or actuate or actuator or actuated or actuating or actuation or drive or control))) same (spring)	USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
7	2005/03/03 13:40			
8	2005/03/03 13:42			
9	2005/03/03 13:43			
10	2005/03/03 13:40			
11	2005/03/03 14:09			

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	15	6 and 2 and 11	USPAT; EPO; JPO; DERWEN T; IBM_TD B
13	BRS	L13	5	10 and 2 and 11	USPAT; EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L14	4	13 not (5 or 8)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
15	BRS	L15	7255	(1 same 11) and 2	USPAT; EPO; JPO; DERWEN T; IBM_TD B
16	BRS	L16	240091	((positionable or position or positioning or positioned or limit or stop or way) with (first or second or third or intermediate or default or between or plural or plurality or multi or two or three)) with (spring)	USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
12	2005/03/03 13:42			
13	2005/03/03 13:42			
14	2005/03/03 13:43			
15	2005/03/03 14:05			
16	2005/03/03 14:03			

	Type	L #	Hits	Search Text	DBs
17	BRS	L17	70319	((((throttle or butterfly or ball) near2 (valve)) or ((rotate or rotating or rotated or rotary or rotation or rotational or rotationary) with (valve or actuate or actuator or actuated or actuating or actuation or drive or control))) with (spring)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
18	BRS	L18	2786	(16 same 17) and 2	USPAT; EPO; JPO; DERWEN T; IBM_TD B
19	BRS	L19	43911	((((throttle or butterfly or ball) near2 (valve)) or ((rotate or rotating or rotated or rotary or rotation or rotational or rotationary) with (valve or actuator or control))) with (spring)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
20	BRS	L20	167574	((positionable or position or positioning or positioned or limit or stop or way) with (first or second or third or intermediate or default or plural or plurality or multi or two or three)) with (spring)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
21	BRS	L21	184724	(reverse or reversible or reversing or reversing or reverses or reversable) with (drive or motor or actuator or control)	USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
17	2005/03/03 14:01			
18	2005/03/03 13:49			
19	2005/03/03 14:15			
20	2005/03/03 14:16			
21	2005/03/03 14:16			



	Type	L #	Hits	Search Text	DBs
22	BRS	L22	1095	(19 same 20) and 21	USPAT; EPO; JPO; DERWEN T; IBM_TDB
23	BRS	L23	1085	22 not (5 or 12 or 13)	USPAT; EPO; JPO; DERWEN T; IBM_TDB
24	IS&R	L24	20	((251/129.12) or (251/69) or (251/286) or (251/288)).CCLS.	US- PGPUB
25	BRS	L25	36111	((positionable or position or positioning or positioned or limit or stop or way) with (first or second or third or intermediate or default or between or plural or plurality or multi or two or three)) same (spring)	US- PGPUB
26	BRS	L26	25612	(reverse or reversible or reversing or reversing or reverses or reversable) with (drive or motor or motive or force or shaft or actuator or actuation or control)	US- PGPUB
27	BRS	L27	11926	((((throttle or butterfly or ball) near2 (valve)) or ((rotate or rotating or rotated or rotary or rotation or rotational or rotationary) with (valve or actuate or actuator or actuated or actuating or actuation or drive or control))) same (spring)	US- PGPUB

	Time Stamp	Comments	Error Definition	Errors
22	2005/03/03 14:06			
23	2005/03/03 14:08			
24	2005/03/03 14:11			
25	2005/03/03 14:15			
26	2005/03/03 14:09			
27	2005/03/03 14:09			

	Type	L #	Hits	Search Text	DBs
28	BRS	L28	3	24 and 26	US- PGPUB
29	BRS	L29	7	24 and 25	US- PGPUB
30	BRS	L30	1	24 and 25 and 26	US- PGPUB
31	BRS	L31	1	24 and 27 and 26	US- PGPUB
32	BRS	L32	890	(25 same 27) and 26	US- PGPUB
33	BRS	L33	3825	((throttle or butterfly or ball) near2 (valve)) or ((rotate or rotating or rotated or rotary or rotation or rotational or rotationary) with (valve or actuator or control))) with (spring)	US- PGPUB
34	BRS	L34	17611	((positionable or position or positioning or positioned or limit or stop or way) with (first or second or third or intermediate or default or plural or plurality or multi or two or three)) with (spring)	US- PGPUB
35	BRS	L35	21721	(reverse or reversible or reversing or reversing or reverses or reversable) with (drive or motor or actuator or control)	US- PGPUB
36	BRS	L36	160	(33 same 34) and 35	US- PGPUB

	Time Stamp	Comments	Error Definition	Errors
28	2005/03/03 14:12			
29	2005/03/03 14:12			
30	2005/03/03 14:13			
31	2005/03/03 14:13			
32	2005/03/03 14:16			
33	2005/03/03 14:15			
34	2005/03/03 14:16			
35	2005/03/03 14:16			
36	2005/03/03 14:16			